

2/48




Fig. 2A








Fig. 2B



3/48



*Fig. 3*










Fig. 5A




6/48




*Fig. 5B*




*Fig. 6*




8/48



*Fig. 6A*




*Fig. 6B*




*Fig. 6C*







9/48



*Fig. 6D*



*Fig. 6E*




*Fig. 6F*



*Fig. 7*



*Fig. 7A*



11/48





Fig. 8



12/48




Fig. 9




Fig. 10




Fig. 10A






Fig. 10B




13/48





*Fig. 11*



*Fig. 11A*



14/48



*Fig. 12*





Fig. 13




Fig. 13A




Fig. 13C




Fig. 13B





Fig. 13D



16/48






Fig. 14







17/48



*Fig. 15*




*Fig. 16A*




*Fig. 16B*




18/48




*Fig. 17*



19/48



*Fig. 18*



*Fig. 19*



20/48

Fig. 20




Fig. 21





Fig. 22





21/48




Fig. 23

22/48






Fig. 24




23/48




*Fig. 25A*




*Fig. 25C*



*Fig. 25B*



*Fig. 25D*



24/48




Fig. 26





25/48







Fig. 27






27/48



*Fig. 29*



*Fig. 30*




Fig. 31







Fig. 32





*Fig. 33A*




30/48



*Fig. 33B*



*Fig. 34*



32/48






Fig. 35





*Fig. 36*



34/48





Fig. 37



35/48






Fig. 38




36/48

CAPILLARY PERFUSION IN NORMAL RAT BRAIN




*Fig. 39*




37/48


CAPILLARIES IN CORE WITHOUT AORTIC LIGATION




*Fig. 40*



CAPILLARIES IN PENUMBRA WITHOUT AORTIC LIGATION



*Fig. 41*




39/48

CAPILLARIES IN CORE WITH AORTIC LIGATION




*Fig. 42*



Partial Aortic Occlusion Devices and Methods  
for Cerebral Perfusion Augmentation  
INVENTOR(S): Barbut et al.  
U.S. Serial No.: 10/052,688  
Page: 40 of 48  
First class mail


40/48

CAPILLARIES IN PENUMBRA WITH AORTIC LIGATION




*Fig. 43*







41/48




*Fig. 44A*




*Fig. 44B*




*Fig. 44C*




*Fig. 44D*




42/48




*Fig. 44E*



*Fig. 44F*




*Fig. 44G*




*Fig. 44H*



43/48




*Fig. 45A*




*Fig. 45B*




44/48




**Fig. 46A**




**Fig. 46B**




45/48




*Fig. 47A*




*Fig. 47B*




*Fig. 47C*




*Fig. 47D*



46/48





47/48




Fig. 48B




Fig. 48C





Fig. 48D



48/48




Fig. 48E




Fig. 48F